

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(allen-loretta-e.in. bryant-robert-c.in. simpson-william-h.in. patton-david-l.in. frosig-peter-a. in.) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR; EPO; JPO	OR	OFF	2005/06/27 16:43
L2	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:49
L3	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:49
L4	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:49
L5	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:50
L6	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:50
L7	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:50
L8	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:51

L9	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:51
L10	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:51
L11	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:51
L12	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:52
L13	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:52
L14	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:52
L15	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:53
L16	3	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:53

L17	0	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050512"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:54
L18	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (clear transparent translucent (see adj through)) and @pd>"20050512"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/06/27 16:55